

SUPPLEMENTAL
Notice of Allowability

Application No.

10/075,485

Examiner

(Jackie) Tan-Uyen T. Ho

Applicant(s)

WANG ET AL.

Art Unit

3731

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the papers filed on 2/12/02.
2. ☒ The allowed claim(s) is/are 1-27.
3. ☒ The drawings filed on 12 February 2002 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 6. <input checked="" type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date <u>hereto</u> . |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Glenn M. Seager on 5/25/04 and 8/12/04.

The application has been amended as follows:

Replace the abstract with the new abstract as follow:

--Catheters for retrieval or delivery of an embolic protection device from the vasculature comprise an outer sheath having a side opening for receiving a guidewire with an embolic protection device at distal end and an inner shaft having a port and a plurality of flush holes in addition to the port. Methods for retrieving and delivering an embolic protection device are disclosed.--

Claim 1: Line 3, replace "shaft" with --sheath--

Claim 1: Line 8, replace "defines" with --includes--

Claim 1: Line 8, after "opening" insert --disposed on the wall of the tubular member--.

Claim 4: Line 1, before "opening" insert --side--

Claim 6: Line 2, before "opening" insert --side--

Claim 10: Line 5, before "opening" replace "an" with --a side--

Claim 13: Line 2, before "opening" insert --side--

Art Unit: 3731

Claim 14: Line 2, before "opening" insert --side--

Claim 17: Line 6, before "opening" replace "an" with --a side-- and

Line 7, before "opening" insert --side--

Claim 22: Line 2, before "opening" insert --side--

Claim 23: Line 2, before "opening" insert --side--

Claim 27: Line 4, before "opening" replace "an" with --a side-- and

Line 5, replace "the opening in" with --the side opening of--

Line 6, after "the distal region" insert --and a plurality of openings
beside the port--

Reasons for Allowance

2. The following is an examiner's statement of reasons for allowance: Claims 1-27 are allowable because the prior art fails to disclose or suggest a catheter for retrieving or delivering of an embolic protection device comprising in combination with other limitations of the claims, an inner shaft including a port disposed near a side opening of an outer sheath and a plurality of openings as claimed or a plurality of flush holes (in claim 17-26) in addition to the port.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Art Unit: 3731

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to (Jackie) Tan-Uyen T. Ho whose telephone number is (703) 306-3421. The examiner can normally be reached on MULTIFLEX Mon. to Sat..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, McDermott or Shaver can be reached on 703-308-0858. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


(Jackie) Tan-Uyen T. Ho
Patent Examiner
Art Unit 3731
August 13, 2004


DAVID O. REIP
PRIMARY EXAMINER